

Energy Storage

Perry Hamlyn

781-271-2137 • phamlyn@mitre.org

DARPA / DoD Army



Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE MAY 2007		2. REPORT TYPE		3. DATES COVERED 00-00-2007 to 00-00-2007	
4. TITLE AND SUBTITLE Energy Storage				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mitre Corporation, 202 Burlington Road, Bedford, MA, 01730-1420				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Technology Symposium, 2-3 May 2007, Washington DC					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 9	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Problem

Situational awareness is critical to making the right decisions at the right time. Aerial surveillance is a key aspect of this mission, but is currently expensive to maintain on a 24/7/365 basis. Airships can provide this capability for extended durations. New technologies are required to reduce mass, generate and store usable power, and produce enormous radar arrays in a lighter-than-air environment to support 24/7/365 missions.

Background

Integrated Sensor Is the Structure (ISIS)

Most Powerful Airborne GMTI/AMTI Radar and Comms Ever Conceived



■ Airship-based radar

- Altitude: ~70,000 ft.
- 600 km radar horizon
- Steep grazing angles for GMTI
- Stationary
 - Detect slow or stationary targets
 - No dropouts
 - Develop clutter maps

■ Airship

- Accommodate ultra-large aperture
- Sensitive radar / COMM platform

■ Unmanned

- Minimum logistics trail
- Mission duration: 1+ years
- 99% Station availability
- No crew at risk



Objective

DARPA Objective:

Provide unsurpassed situational awareness through the use of high-altitude, unmanned airships that are designed to provide high-reliability, unattended, on-station surveillance

MITRE Activities:



Provide DARPA technical support for energy generation and storage systems, modeling and simulation, sensor systems studies/analysis (e.g., phenomenology, related technology, reliability, etc.)



Activities


- **Modeling & Simulation:**
 - Solar availability
 - Effective airship solar surface area
 - System energy model
 - Sensor capabilities
 - Reliability
- **Technology**
 - Energy sources, conversion, and storage
 - Sensor phenomenology
 - Materials and process technology
 - Implementation
- **System Engineering Support**
 - Feasibility and impact
 - Trade space analysis
 - System optimization

Highlight




Demonstration

Capability cannot be added to airship after development



Payload: 1.7% of system mass

ISIS requires integration of sensor and airship



Payload: 30-40% of system mass

- **Payload-platform integration provides 12dB reduction in system mass**
 - Traditional airship concept: ~2% payload → ISIS: 30-40% payload
- **10dB reduction in radar aperture mass**
 - Current RF-on-flex state of the art is 20 kg/m² → ISIS is 2 kg/m²
- **6dB reduction in airship hull mass**
 - Current state of the art is 400 g/m² → ISIS is ≤100 g/m²
- **Fully regenerative power system for near-space**
 - ISIS is ≥400 W-hr/kg



Impacts

- Energy generation and storage, technology integration, systems analysis, and sensor phenomenology are key technology thrusts for the DARPA ISIS platform as well as other systems to follow.
- The concept of energy generation and high-density energy storage is of interest to many MITRE sponsors.
- Renewable energy system research is a high priority for decreasing America's dependence on foreign oil.
- The concept of using the structure (airship) as an integral part of the sensor in order to minimize weight has application in many areas such as UAVs, antennas, electronic packaging, etc.



Future Plans

